



IDS Form PTO/SB/08: Substitute for form 1449A/PTO				Complete if Known	
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use as many sheets as necessary)				Application Number	
				Filing Date	
				First Named Inventor	
				Art Unit	
				Examiner Name	
Sheet	1	of	2	Attorney Docket Number	5049.0007-00000

U.S. PATENTS AND PUBLISHED U.S. PATENT APPLICATIONS					
Examiner Initials ¹	Cite No. ¹	Document Number	Issue or Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear
		Number-Kind Code ² (if known)			
/LD/		US-4,655,753	04/07/1987	Bellotti et al.	
/LD/		US-4,882,496	11/21/1989	Bellotti et al.	
/LD/		US-6,293,921	09/25/2001	Shinmoto et al.	
		US-			
		US-			
		US-			

Note: Submission of copies of U.S. Patents and published U.S. Patent Applications is not required.

FOREIGN PATENT DOCUMENTS						
Examiner Initials ¹	Cite No. ¹	Foreign Patent Document	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear	Translation ⁶
		Country Code ³ Number ⁴ Kind Code ⁵ (if known)				
/LD/		JP2001-037874	02/13/2001	Japan Servo Co. Ltd JMC Co. Ltd.		Yes Abstract
/LD/		JP2001-238945	09/04/2001	JMS Co. Ltd.		Yes Abstract

NONPATENT LITERATURE DOCUMENTS			
Examiner Initials ¹	Cite No. ¹	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	Translation ⁶
/LD/		Francisco MONTEÓN, et al., "Prevention of peritonitis with disconnect systems in CAPD: A randomized controlled trial," <i>Kidney International</i> , Vol. 54 (1998), pp. 2123-2128.	
/LD/		Sanjay SAINT, MD, et al., "Preventing Catheter-Related Bacteriuria," <i>ARCH INTERN MED</i> Vol. 159, April 26, 1999.	
/LD/		Mona F. MELHEM, et al., "α-Lipoic Acid Attenuates Hyperglycemia and Prevents Glomerular Mesangial Matrix Expansion in Diabetes," <i>Journal of the American Society of Nephrology</i> , Vol 13, pp. 108-116, 2002.	
/LD/		Russell D. CLARK, "Peritonitis prevented in continuous ambulatory peritoneal dialysis by using the Hong Kong connection," <i>British Medical Journal</i> , Vol. 288, pp. 353-356, February 4, 1984	
/LD/		J.S. Tapson, et al., "Experience with the Travenol Ultraviolet Germicidal Exchange System," <i>Contributions to Nephrology</i> , Vol 57, pp. 167-171, 1987.	
/LD/		E. Olivas, et al. "Reduction of the Incidence of Peritonitis in CAPD: Effectiveness of Heat Sterilization of Safe Lock Connectors," <i>Contributions to Nephrology</i> , Vol. 89, pp. 62-67, 1991.	
/LD/		E.W. Boeschoten, et al., "Prevention of Peritonitis: Filter or UV System?," <i>Contributions to Nephrology</i> , Vol. 57, pp. 158-166, 1987.	
/LD/		R. Hamilton, et al., "Reduction in Peritonitis Frequency by The Dupont Sterile Connection Device," <i>Transactions, American Society for Artificial Internal Organs</i> , Vol 31, 1985, pp. 651-654.	

Examiner Signature	/Leslie Deak/	Date Considered	04/10/2008
--------------------	---------------	-----------------	------------

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.